

Vergi No. 0080818425

Agha Pack Since 1989

معدات معالجة وتعليب التمور
Dates processing machines

Makina Gıda Sanayi Ve Ticaret Limited Şirketi
Gaziantep, Sam mahallesi 43 Nolu Sokak No. 3/A Şehitkamil, Turkey
United State Of America, 4445 East gate mall, Suit 200 San Diego, CA 92121
www.aghapack.com



مصنع متكامل لمعالجة وتعليب التمور وإنتاج عجينة التمر
Dates processing factory

المواصفات العامة لمصنع متكامل لمعالجة وتعليب التمور وإنتاج عجينة التمر AP1-250DF			
تم تصميم هذا المصنع خصيصا لمؤسسات الدعم الشبابي ، الحكومية والمدنية ، لإنشاء مصانع متكاملة واقتصادية ، لمعالجة وتعليب التمور وإنتاج الصناعات التحويلية ، وإيجاد فرص عمل للشباب ، بما يحقق طموحاتهم في امتلاك مصانع خاصة بهم ، ولتعزيز متطلبات الأسواق المحلية والخارجية المتزايدة على محصول التمور.			
1. قسم المعالجة (غسيل وتجفيف)			
	الأبعاد	الطول 200 سم x العرض الإجمالي 100 سم x الارتفاع 200 سم.	
	المعدن	ستانلس ستيل عالي الجودة من نوعية 304.	
	سير ناقل	لدائن مخصصة للصناعات الغذائية. (العرض الإجمالي 40 سم)	
	المحرك	2 حصان 380 فولت 3 فاز	
	توربين هواء	1 حصان مع سخان حراري 1000 وات ، لتسخين الهواء.	
المضخات 2	375 وات لكل مضخة (مضخة الماء والكلور - مضخة ماء فقط) .		
2. مرحلة الترطيب للتمور ذات المحتوى المائي المنخفض. AP9-150			
	❖ قياس الآلة: 110 x 110 x 150 سم	وحدة الترطيب	
	❖ قياس الصينية: 90 x 90 سم. (قد يتبدل القياس دون أي إشعار مسبق للتطوير)		
❖ استطاعة الآلة: 8 صواني كل صينية تتسع لكمية 10 كغ تمور .			
❖ وزن الآلة: 225 كغ . (قد يتبدل الوزن دون أي إشعار مسبق)			
❖ وزن الصينية: 3.350 كغ (فارغة) .			
❖ الوزن الإجمالي للآلة: 250 كغ . تقريبا . (قد يتبدل الوزن دون أي إشعار مسبق)			
❖ استهلاك الطاقة: 4 كيلو وات .			
❖ الطاقة الإنتاجية: 150 كغ / كل 60 دقيقة عمل			
3. مرحلة التصنيف والتعبئة اليدوية والتعليب الآلي.			
سير ناقل لدائن مخصصة للصناعات الغذائية + مساند معدنية (الطول 1000 سم x عرض 30 سم x ارتفاع 70 سم) .			
	الموديل	AP18 (آلة تعليب بالشد الحراري)	آلة شريك
	الجهد	220 فولت	
	التردد	50 - 60 هيرتز.	
	استهلاك الطاقة	1.5 أمبير - 2.5 كيلو وات .	
	كفاءة العمل	50 - 200 عبوة بالساعة .	
	البلاستيك المستخدم بالتعبئة	جميع أنواع السلوفان .	
	أقصى حجم للتعبئة	الطول 55 سم - العرض 45 سم - الارتفاع 17 سم .	
	أبعاد الآلة	الطول 120 سم - العرض 85 سم - الارتفاع 110 سم .	

Türkiye İş Bankası

Branch: Cumhuriyet / Gaziantep

Account Name: Agha Pack

Swift Code: ISBKTRIS

Account No.: TL. 6318-0034370 (IBAN: TR22 0006 4000 0016 3180 0343 70)

\$. 6318-0004432 (IBAN: TR09 0006 4000 0026 3180 0044 32)

€. 6318-0004446 (IBAN: TR19 0006 4000 0026 3180 0044 46)


Head office: United state of America, Email: info@aghapack.com

Regional office: Gaziantep - Türkiye, Email: mo.tr@aghapack.com

Sales office: Istanbul - Türkiye, Email: sales@aghapack.com

Factory: Gaziantep - Türkiye, Email: mo@aghapack.com

Sales GSM: 0090 553 733 3728 Factory GSM: 0090 537 286 9818



Vergi No. 0080818425

Agha Pack Since 1989




معدات معالجة وتعليب التمور
Dates processing machines

Makina Gıda Sanayi Ve Ticaret Limited Şirketi

Gaziantep, Sam mahallesi 43 Nolu Sokak No. 3/A Şehitkamil, Turkey
United State Of America, 4445 East gate mall, Suit 200 San Diego, CA 92121

www.aghapack.com



	تعمل على تفريغ أكياس التمور من الهواء وإغلاقها - حوض واحد فقط.	الموديل AP35	آلة الفاكيوم
	الطول 58 سم - العرض 56 سم - الارتفاع 90 سم .	قياسات الآلة	
	1 حصان - 220 فولت .	الطاقة	
	1 x 45 سم .	شريط اللحام	
	12 سم	عمق حجرة التفريغ	
	الطول 48 سم - العرض 41 سم - الارتفاع 12 سم .	ابعاد حجرة التفريغ	
4. مرحلة الصناعة التحويلية (إنتاج عجينة التمور).			
	AP3 (تعمل على فصل النوى عن التمور).	الموديل	آلة فرز النوى
	طول 140 سم x عرض 100 سم x ارتفاع 105 سم .	الأبعاد	
	2 حصان مع علبة سرعة ، 380 فولت ، 50 - 60 سيكل .	موتور العزل	
	اسطوانة من معدن الحديد مغطى بطبقة من المطاط أو السيلكون الغذائي ، مقاوم لعملية الحث .	اسطوانة المطاط	
	AP6 (تعمل على فرم وتنعيم التمور المنزوعة النوى وتحويلها لعجينة التمر).	الموديل	الفرامة
	طول 90 سم x عرض 50 سم x ارتفاع 80 سم .	الأبعاد	
	من منشأ ايطالي ، نوعية سلفادور ، قياس 32 الثقوب 4 مم .	المصفاة والسكين	
	2 حصان مع علبة سرعة ، 380 فولت ، 50 - 60 سيكل .	الموتور	
الوزن الإجمالي لوحدة المصنع			
4500 كيلو غرام . (قد يتبدل الوزن دون أي إشعار مسبق)			
القدرة الكهربائية			
15 كيلووات ساعي			
معدل استهلاك الماء			
50 لتر ماء / 1 ساعة			
الطاقة الإنتاجية للمصنع			
250 كجم بالساعة .			
بلد المنشأ			
تركيا			

Türkiye İş Bankası

Branch: Cumhuriyet / Gaziantep

Account Name: Agha Pack

Swift Code: ISBKTRIS

Account No.: TL. 6318-0034370 (IBAN: TR22 0006 4000 0016 3180 0343 70)

\$. 6318-0004432 (IBAN: TR09 0006 4000 0026 3180 0044 32)

€. 6318-0004446 (IBAN: TR19 0006 4000 0026 3180 0044 46)


Head office: United state of America, Email: info@aghapack.com

Regional office: Gaziantep - Türkiye, Email: mo.tr@aghapack.com

Sales office: Istanbul - Türkiye, Email: sales@aghapack.com

Factory: Gaziantep - Türkiye, Email: mo@aghapack.com

Sales GSM: 0090 553 733 3728 Factory GSM: 0090 537 286 9818



Vergi No. 0080818425

Agha Pack

Since 1989



معدات معالجة وتعليب التمور
Dates processing machines

Makina Gıda Sanayi Ve Ticaret Limited Şirketi

Gaziantep, Sam mahallesi 43 Nolu Sokak No. 3/A Şehitkamil, Turkey
United State Of America, 4445 East gate mall, Suit 200 San Diego, CA 92121

www.aghapack.com



Dates processing factory AP1-250DF	
Specially designed for youth support institutions, governmental or civilian, to create an integrated and economic factory, for Dates processing, and the creation of employment for youth, in order to achieve their ambitions to own a special plant for them, and promote the demands of markets, both domestic and foreign from dates.	
1. Processing Section	
Dimensions	Length 200 cm x 100 cm Overall width x height 200 cm.
Metal	Stainless steel high-quality quality of 304.
Conveyor belt	Custom Food Industries plastics. (Overall width 40 cm.)
Motor	2 HP 380-volt 3 phase
Air turbine	1 HP with thermal heaters 1000 watt. to warm the air.
Pumps 2	375 watts per pump.
	
2. Hydration Section AP9-150	
Section Hydration	<ol style="list-style-type: none">1. Machine dimensions: 110 x 110 x 150 cm.2. Tray dimensions: 90 x 90 cm. (Measurement has changed without any prior notice to the development).3. Weight of the tray: 3.350 kg. (Empty).4. Machine capacity 8 trays, each tray can accommodate the amount of 10 kg dates.5. Machine weight 225 kg. (May be changed weight without any prior notice)6. Gross weight of the machine 250 kg. Almost. (May be changed weight without any prior notice).7. Energy consumption 4 Kw. Production capacity of 150 kg / every 60 minutes of work.
	
3. Sorting Section	
Conveyor belt	Custom Food Industries plastics + Metal table (L 1000 cm x W 30 cm x H 70 cm).
4. Section Manual packaging and automatic packaging.	

Türkiye İş Bankası

Branch: Cumhuriyet / Gaziantep

Account Name: Agha Pack

Swift Code: ISBKTRIS

Account No.: TL. 6318-0034370 (IBAN: TR22 0006 4000 0016 3180 0343 70)

\$. 6318-0004432 (IBAN: TR09 0006 4000 0026 3180 0044 32)

€. 6318-0004446 (IBAN: TR19 0006 4000 0026 3180 0044 46)


Head office: United state of America, Email: info@aghapack.com

Regional office: Gaziantep - Türkiye, Email: mo.tr@aghapack.com

Sales office: Istanbul - Türkiye, Email: sales@aghapack.com

Factory: Gaziantep - Türkiye, Email: mo@aghapack.com

Sales GSM: 0090 553 733 3728 Factory GSM: 0090 537 286 9818







Vergi No. 0080818425

Agha Pack *Since 1989*

معدات معالجة وتعليب التمور
Dates processing machines

Makina Gıda Sanayi Ve Ticaret Limited Şirketi
Gaziantep, Sam mahallesi 43 Nolu Sokak No. 3/A Şehitkamil, Turkey
United State Of America, 4445 East gate mall, Suit 200 San Diego, CA 92121
www.aghapack.com




Shrink Machine	Model AP18	
	Voltage: 220 Volt	
	Frequency: 50-60 Hz.	
	Electricity consumption: 1.5 amp - 2.5 kW.	
	Work efficiency: 50-200 packets per hour.	
	Plastic used for packing: All types of cellophane.	
	Maximum size for packaging: L 55 cm. x W 45 cm. x H 17 cm.	
	The dimensions of the machine: L 120 cm. x W 85 cm. x H 110 cm	
Vacuum Machine	Model AP35	
	Machine dimensions: L 58 cm x W 56 cm x H 90 cm	
	Electricity consumption: 1 hp. - 220 volts.	
	Welding bar: 1 x 45 cm.	
	Depth of the vacuum chamber: 12 cm	
	Dimensions of the vacuum chamber: L 48 cm x W 41 cm. x H 12 cm.	
5. Manufacturing Section (produce a paste of dates).		
Pitter Machine	Model AP3	
	Dimensions: L 140 cm x W 100 cm x H 105 cm.	
	Motor: 2 hp. 380-volt 3 phase.	
	Rubber Cylinder: Iron cylinder of metal covered with a layer of silicon or rubber, resistant to the process of erosion.	
Grinder Machine	Model AP6	
	Dimensions: L 90 cm x W 50 cm x H 80 cm.	
	Perforated disc, knife: 32 X 4mm.	
	Motor: 2 hp. 380-volt 3 V.	
Total weight 4500 kg. (May be changed weight without any prior notice)		
Electrical power		

Türkiye İş Bankası

Branch: Cumhuriyet / Gaziantep
Account Name: Agha Pack
Swift Code: ISBKTRIS
Account No.: TL. 6318-0034370 (IBAN: TR22 0006 4000 0016 3180 0343 70)
\$. 6318-0004432 (IBAN: TR09 0006 4000 0026 3180 0044 32)
€. 6318-0004446 (IBAN: TR19 0006 4000 0026 3180 0044 46)

Head office: United state of America, **Email:** info@aghapack.com
Regional office: Gaziantep - Türkiye, **Email:** mo.tr@aghapack.com
Sales office: İstanbul - Türkiye, **Email:** sales@aghapack.com
Factory: Gaziantep - Türkiye, **Email:** mo@aghapack.com
Sales GSM: 0090 553 733 3728 **Factory GSM:** 0090 537 286 9818



Vergi No. 0080818425

Agha Pack *Since 1989*

معدات معالجة وتعليب التمور
Dates processing machines

Makina Gıda Sanayi Ve Ticaret Limited Şirketi

Gaziantep, Sam mahallesi 43 Nolu Sokak No. 3/A Şehitkamil, Turkey
United State Of America, 4445 East gate mall, Suit 200 San Diego, CA 92121

www.aghapack.com




15 kW
Water consumption rate
50 liters of water / 1 hour
The production capacity of the plant
250 kg per hour.
Country of Origin
Turkey

Notice

- ✓ Our machines designed by (**Agha Pack. USA.**) East Gate Mall - suite 200, CA. 92121 USA.
- ✓ Two-year warranty against badness composes.
- ✓ *Dimension maybe changes except capacity.*

Agha Pack



Türkiye İş Bankası

Branch: Cumhuriyet / Gaziantep
Account Name: Agha Pack
Swift Code: ISBKTRIS
Account No.: TL. 6318-0034370 (IBAN: TR22 0006 4000 0016 3180 0343 70)
\$. 6318-0004432 (IBAN: TR09 0006 4000 0026 3180 0044 32)
€. 6318-0004446 (IBAN: TR19 0006 4000 0026 3180 0044 46)

Head office: United state of America, **Email:** info@aghapack.com
Regional office: Gaziantep - Türkiye, **Email:** mo.tr@aghapack.com
Sales office: Istanbul - Türkiye, **Email:** sales@aghapack.com
Factory: Gaziantep - Türkiye, **Email:** mo@aghapack.com
Sales GSM: 0090 553 733 3728 **Factory GSM:** 0090 537 286 9818